



ASSOCIATED DRAWINGS	
No.	TITLE
1386/001-010	Harle Associates Facade retention and bracing structure

- NOTES**
- NO DIMENSIONS ARE TO BE SCALED FROM THIS DRAWING.
 - THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL ASSOCIATED DRAWINGS & SPECIFICATIONS.
 - ALL DETAILS AND DIMENSIONS TO BE CONFIRMED ON SITE PRIOR TO WORKS
 - AT ALL TIMES THE INTEGRITY OF THE REMAINING STRUCTURE WILL BE MONITORED FOR STRUCTURAL STABILITY
 - HANDRAILS AND WORKING FLOORS MUST BE MAINTAINED AT ALL TIMES
 - DURING THE DEMOLITION OR DECONSTRUCTION THE BUILD UP OF DEBRIS WILL NOT BE PERMITTED - REGULAR CLEARANCE WILL BE CARRIED OUT
 - THIS SITE IS HIGHLY CONTAMINATED WITH NEEDLES AND OTHER SHARPS, THESE ARE TO BE TREATED AS HAZARDOUS WASTE AND DISPOSED OFF ACCORDINGLY
 - CROSS PROPPING SYSTEM TO BE ERECT PLUMB AT CENTRES NOT EXCEEDING 1200mm IN ANY DIRECTION

LEGEND		
BER	DESCRIPTION	DATE
	AMENDMENTS	

St Johns Redevelopment
Wolverhampton
Birmingham

Temporary works details

CLIENT
FORTMERE PROPERTIES

COLEMAN & COMPANY
DEMOLITION LAND RECLAMATION BUILD & RECONSTRUCTION

Shady Lane, Great Barr, Birmingham, B44 8ER.
Tel: +44 (0)121 303 2424, Fax: +44 (0)121 303 2425
www.coleman-co.com contact@coleman-co.com

DRAWING No		C535 / 003	
SCALE	1:200 @ A1	DATE	17th March 2006
DRAWN BY	E. Aslin	CHECKED	CHECKED BY
SURVEYED	E. Aslin	SG.	